

Hole #	length (ft)	length (m)	QFP(ft)		QFP(m)		Assay(m)		width (m)	Au-gpt	Grade X Width	Assay(ft)		width (ft)	Au-opt	Grade X Width	comments
			from	to	from	to	from	to				from	to				
VGP-09-04	154.3	47.0	43.9	122.1	13.4	37.2	15.5	21.2	5.7	1.46	8.31	51.0	69.7	18.7	0.04	0.80	1 ugo + end in ugo
			130.0	154.3	39.6	47.0	25.9	32.3	6.4	1.92	12.32	85.0	106.0	21.0	0.06	1.18	
							36.9	38.4	1.5	3.63	5.53	121.0	126.0	5.0	0.11	0.53	
VGP-09-05	124.8	38.0	44.0	124.8	13.4	38.0	13.4	18.9	5.5	2.52	13.83	44.0	62.0	18.0	0.07	1.32	2 ugo + end in ugo
							29.0	36.6	7.6	1.43	10.85	95.1	120.0	24.9	0.04	1.04	
VGP-09-06	470.8	143.5	144.4	153.8	44.0	46.9	48.2	73.2	25.0	1.69	42.31	158.0	240.0	82.0	0.05	4.05	1 ugo
			163.2	314.8	49.7	96.0	includes		2.1	7.02	14.98	includes		7.0	0.20	1.43	
			423.1	429.5	129.0	130.9	91.4	93.0	1.5	1.82	2.77	300.0	305.0	5.0	0.05	0.27	
VGP-09-07	498.7	152.0	197.0	458.8	60.0	139.8	59.4	60.4	0.9	1.65	1.51	195.0	198.0	3.0	0.05	0.14	1 ugo
							72.5	74.1	1.5	2.88	4.39	238.0	243.0	5.0	0.08	0.42	
							92.4	93.9	1.5	1.13	1.72	303.0	308.0	5.0	0.03	0.16	
							117.7	125.3	7.6	1.85	14.10	386.0	411.0	25.0	0.05	1.35	
							137.5	140.2	2.7	14.31	39.26	451.0	460.0	9.0	0.42	3.76	
VGP-09-08	77.6	23.7					hole ends in opening prior to zone										end in ugo
VGP-09-09	225.0	68.6	79.6	225.0	24.3	68.6	24.1	24.6	0.5	12.14	6.66	79.0	80.8	1.8	0.35	0.64	3 ugo + end in ugo
							36.9	44.0	7.1	2.44	17.40	121.0	144.4	23.4	0.07	1.67	
VGP-09-10	390.4	119.0	89.9	135.6	27.4	41.3	25.9	27.7	1.8	41.67	76.20	85.0	91.0	6.0	1.22	7.29	4 ugo
			179.5	372.8	54.7	113.6	40.2	41.3	1.1	1.44	1.58	132.0	135.6	3.6	0.04	0.15	
							51.2	52.4	1.2	3.98	4.85	168.0	172.0	4.0	0.12	0.46	
							54.7	56.1	1.4	2.02	2.77	179.5	184.0	4.5	0.06	0.27	
							59.1	60.7	1.5	2.3	3.51	194.0	199.0	5.0	0.07	0.34	
							62.2	72.8	10.6	5.25	55.55	204.0	238.7	34.7	0.15	5.32	
							79.2	80.6	1.3	3.09	4.14	260.0	264.4	4.4	0.09	0.40	
							86.3	96.9	10.7	2.55	27.21	283.0	318.0	35.0	0.07	2.60	
							104.5	106.1	1.5	1.78	2.71	343.0	348.0	5.0	0.05	0.26	
							112.2	113.6	1.5	3.43	5.02	368.0	372.8	4.8	0.10	0.48	
VGP-09-11	176.8	53.9	175.8	176.8	53.6	53.9	hole ends in opening prior to zone										end in ugo
VGP-09-12	469.2	143.0	205.0	411.0	62.5	125.3	62.5	72.8	10.4	1.70	17.62	205.0	239.0	34.0	0.05	1.69	2 ugo
							95.7	105.8	10.1	3.39	34.05	314.0	347.0	33.0	0.10	3.26	
							124.4	125.4	1.0	1.37	1.42	408.0	411.4	3.4	0.04	0.14	
VGP-09-13	158.9	48.4					hole ends in opening prior to zone										end in ugo
VGP-09-14	498.7	152.0	21.0	44.5	6.4	13.6	12.2	13.6	1.4	1.85	2.54	40.0	44.5	4.5	0.05	0.24	
			172.0	263.4	52.4	80.3	46.0	47.5	1.5	2.43	3.70	151.0	156.0	5.0	0.07	0.35	
			289.0	341.0	88.1	103.9											
			445.9	467.2	135.9	142.4											
VGP-09-15	489.0	149.0	20.3	51.1	6.2	15.6	48.1	53.7	5.6	4.49	25.03	157.8	176.1	18.3	0.13	2.39	
			157.8	176.1	48.1	53.7											
			258.0	281.4	78.6	85.8											
			330.4	408.7	100.7	124.6											
VGP-09-16	1355.0	413.0	307.0	335.4	93.6	102.2											
			562.3	665.2	171.4	202.8	176.4	177.4	1.0	6.06	6.12	578.8	582.1	3.3	0.18	0.59	
			702.3	708.2	214.1	215.9											
			852.7	910.0	259.9	277.4	259.9	282.9	23.0	1.40	32.21	852.7	928.0	75.3	0.04	3.08	
			928.0	975.0	282.9	297.2	294.5	296.1	1.6	2.26	3.58	966.3	971.5	5.2	0.07	0.34	
VGP-09-17	1169.6	356.5	311.9	315.6	95.1	96.2											
			352.6	358.5	107.5	109.3	107.5	109.3	1.8	2.37	4.26	352.6	358.5	5.9	0.07	0.41	
			1065.2	1116.3	324.7	340.2											
VGP-09-18	1000.7	305.0	602.3	624.4	183.6	190.3	39.6	41.1	1.5	1.39	2.11	130.0	135.0	5.0	0.04	0.20	
			933.0	953.7	284.4	290.7	186.5	188.1	1.5	1.03	1.57	612.0	617.0	5.0	0.03	0.15	
							236.1	237.7	1.6	1.19	1.92	774.7	780.0	5.3	0.03	0.18	
							284.4	285.9	1.5	1.03	1.56	933.0	938.0	5.0	0.03	0.15	
VGP-09-19	1335.3	407.0	684.0	706.1	208.5	215.2	114.6	116.6	2.0	11.60	23.34	376.0	382.6	6.6	0.34	2.23	
			1071.5	1258.8	326.6	383.7	208.5	210.0	1.5	3.07	4.68	684.0	689.0	5.0	0.09	0.45	
			1272.1	1294.2	387.7	394.5	383.4	385.4	2.0	3.56	7.27	1,257.8	1,264.5	6.7	0.10	0.70	
VGP-09-20	675.9	206.0	489.4	513.4	149.2	156.5	41.5	42.4	0.9	1390.00	1271.02	136.2	139.2	3.0	40.54	121.63	VG in QV Ultramafic
							155.0	156.5	1.5	1.66	2.47	508.5	513.4	4.9	0.05	0.24	
VGP-09-21	764.4	233.0	517.7	558.2	157.8	170.1	158.5	162.3	3.8	1.20	4.54	520.0	532.4	12.4	0.04	0.43	
			583.5	596.2	177.9	181.7	177.9	181.7	3.9	1.66	6.43	583.5	596.2	12.7	0.05	0.62	
			601.4	605.1	183.3	184.4											
			714.4	734.5	217.7	223.9											
VGP-09-22	1084.3	330.5	314.5	323.0	95.9	98.5	no significant assays										
			630.5	692.7	192.2	211.1											
VGP-09-23	912.2	278.0	327.6	363.7	99.9	110.9											
			461.4	553.3	140.6	168.6	155.4	156.9	1.5	1.63	2.43	510.0	514.9	4.9	0.05	0.23	
			729.0	763.0	222.2	232.6	222.2	223.1	0.9	2.34	2.14	729.0	732.0	3.0	0.07	0.20	
			770.3	800.1	234.8	243.9	239.3	243.9	4.6	9.40	43.28	785.0	800.1	15.1	0.27	4.14	
			848.4	853.5	258.6	260.1											
VGP-09-24	1049.9	320.0	444.4	562.1	135.5	171.3	138.8	143.0	4.2	1.46	6.09	455.3	469.0	13.7	0.04	0.58	
			578.6	628.4	176.4	191.5											
			817.8	821.1	249.3	250.3											
			954.0	957.5	290.8	291.8											
			986.0	1018.8	300.5	310.5											
VGP-09-25	1217.2	371.0	679.4	683.9	207.1	208.5	no significant assays										
			761.6	814.2	232.1	248.2											
			892.7	893.9	272.1	272.5											
			989.5	1006.6	301.6	306.8											
			1056.6	1067.7	322.1	325.4											
VGP-09-26	1591.2	485.0	149.1	155.0	45.4	47.2											
			320.4	333.6	97.7	101.7											
			351.5	353.3	107.1	107.7											

Hole #	length (ft)	length (m)	QFP(ft)		QFP(m)		Assay(m)		width (m)	Au-gpt	Grade X Width	Assay(ft)		width (ft)	Au-opt	Grade X Width	comments	
			from	to	from	to	from	to				from	to					
VGP-09-27	2408.1	734.0	198.3	244.4	60.4	74.5												
			266.1	273.9	81.1	83.5	81.1	82.3	1.2	1.31	1.55	266.1	270.0	3.9	0.04	0.15		
			372.4	396.5	113.5	120.9												
			811.2	812.8	247.3	247.7	229.4	234.1	4.8	2.11	10.08	752.5	768.2	15.7	0.06	0.96		
			1006.8	1013.7	306.9	309.0												
			1032.0	1143.7	314.6	348.6												
			1198.4	1207.8	365.3	368.1	376.7	378.0	1.2	9.66	11.78	1,236.0	1,240.0	4.0	0.28	1.13		
			1610.0	1618.8	490.7	493.4												
			1980.0	2098.0	603.5	639.5	607.2	609.0	1.8	1.90	3.47	1,992.0	1,998.0	6.0	0.06	0.33		
			2111.5	2143.8	643.6	653.4												
VGP-09-31	1257.9	383.4	9.9	40.1	3.0	12.2											1 ugo	
			119.3	157.9	36.4	48.1												
			176.2	198.4	53.7	60.5	146.7	152.6	5.9	2.42	14.23	481.2	500.5	19.3	0.07	1.36		
			481.2	500.5	146.7	152.6	includes		2.3	4.11	9.40	includes		7.5	0.12	0.90		
			545.1	690.0	166.1	210.3	166.1	210.3	44.2	1.00	44.34	545.1	690.0	144.9	0.03	4.24		
			722.7	727.6	220.3	221.8	includes		2.4	5.37	12.92	includes		7.9	0.16	1.24		
			1004.3	1104.2	306.1	336.6												
VGP-09-32	1532.2	467.0	6.5	43.6	2.0	13.3												
			76.7	85.4	23.4	26.0	36.3	38.1	1.8	2.00	3.66	119.0	125.0	6.0	0.06	0.35		
			128.9	177.1	39.3	54.0												
			208.8	212.1	63.6	64.6												
			568.2	726.5	173.2	221.4	198.1	204.4	6.3	1.79	11.25	650.0	670.6	20.6	0.05	1.08		
			745.9	813.7	227.4	248.0	216.4	218.1	1.7	1.60	2.78	710.0	715.7	5.7	0.05	0.27		
			1223.6	1475.7	373.0	449.8	371.6	373.0	1.4	5.72	8.02	1,219.0	1,223.6	4.6	0.17	0.77		
VGP-09-33	1364.7	416.0	28.9	91.7	8.8	28.0												
			102.1	259.1	31.1	79.0	77.1	78.0	0.9	5.66	5.18	253.0	256.0	3.0	0.17	0.50		
			295.1	306.4	89.9	93.4												
			606.1	608.6	184.7	185.5												
			625.9	656.6	190.8	200.1												
			679.0	730.8	207.0	222.7	204.2	228.6	28.5	1.03	29.35	670.0	750.0	93.4	0.03	2.81		
			849.1	850.7	258.8	259.3												
			1023.5	1028.1	312.0	313.4	361.8	364.8	3.0	1.64	5.01	1,187.0	1,197.0	10.0	0.05	0.48		
			1097.2	1254.6	334.4	382.4	369.1	373.4	4.3	2.54	10.83	1,211.0	1,225.0	14.0	0.07	1.04		
			1283.8	1287.0	391.3	392.3												
			1290.1	1294.2	393.2	394.5												
VGP-09-34	1660.4	506.1	46.1	55.8	14.1	17.0												
			119.0	127.7	36.3	38.9												
			214.4	229.1	65.3	69.8	86.3	88.9	2.7	1.31	3.48	283.0	291.7	8.7	0.04	0.33		
			260.0	361.3	79.2	110.1												
			375.6	409.0	114.5	124.7												
			554.2	561.3	168.9	171.1	186.2	187.8	1.5	16.85	25.68	611.0	616.0	5.0	0.49	2.46		
			635.4	639.7	193.7	195.0												
			664.5	779.3	202.5	237.5	226.8	232.9	6.1	1.70	10.33	744.0	764.0	20.0	0.05	0.99		
			792.8	847.7	241.6	258.4	405.4	406.9	1.5	4.23	6.32	1,330.0	1,334.9	4.9	0.12	0.60		
			1233.7	1334.9	376.0	406.9	437.0	468.0	31.0	1.61	49.93	1,433.6	1,535.3	101.7	0.05	4.78		
			1402.4	1578.5	427.5	481.1	includes		3.0	4.09	12.47	includes		10.0	0.12	1.19		
VGP-09-35	1108.9	338.0	77.5	157.5	23.6	48.0												
			182.9	211.5	55.7	64.5	240.9	243.2	2.3	3.39	7.76	790.5	798.0	7.5	0.10	0.74		
			361.2	405.8	110.1	123.7	252.4	261.5	9.1	1.09	9.96	828.0	858.0	30.0	0.03	0.95		
			793.8	921.0	242.0	280.7												
VGP-09-36	1542.0	470.0	85.7	160.4	26.1	48.9	44.8	46.3	1.5	2.32	3.54	147.0	152.0	5.0	0.07	0.34		
			169.3	192.7	51.6	58.7	137.2	149.0	11.9	4.98	59.20	450.0	489.0	39.0	0.15	5.67		
			256.5	275.5	78.2	84.0	includes		1.5	32.00	48.77	includes		5.0	0.93	4.67		
			397.0	489.0	121.0	149.0	392.9	396.5	3.7	1.79	6.55	1,289.0	1,301.0	12.0	0.05	0.63		
			1058.3	1394.5	322.6	425.0	403.9	405.7	1.8	4.79	8.76	1,325.0	1,331.0	6.0	0.14	0.84		
VGP-09-37	1374.7	419.0	90.6	167.8	27.6	51.1	52.2	53.0	0.8	52.80	43.45	171.1	173.8	2.7	1.54	4.16		
			171.1	173.7	52.2	52.9	75.0	76.8	1.8	3.42	6.25	246.0	252.0	6.0	0.10	0.60		
			1079.0	1213.8	328.9	370.0	283.5	284.8	1.4	15.00	20.57	930.0	934.5	4.5	0.44	1.97		
			1332.1	1357.8	406.0	413.9	413.0	413.9	0.9	1.31	1.11	1,355.0	1,357.8	2.8	0.04	0.11		
VGP-09-38	1601.0	488.0	53.9	202.5	16.4	61.7												
			248.6	378.8	75.8	115.5												
			695.8	703.0	212.1	214.3	222.5	224.3	1.8	1.88	3.44	730.0	736.0	6.0	0.05	0.33		
			821.7	869.0	250.5	264.9	263.3	264.9	1.5	1.80	2.74	864.0	869.0	5.0	0.05	0.26		
			1130.5	1199.0	344.6	365.5	355.4	366.4	11.0	1.21	13.27	1,166.0	1,202.0	36.0	0.04	1.27		
							439.0	444.4	5.4	1.22	6.57	1,440.3	1,458.0	17.7	0.04	0.63		
VGP-09-39	213.3	65.0	92.6	104.0	28.2	31.7			nsv								follow-up on -20	
VGP-09-40	213.3	65.0	109.3	116.4	33.3	35.5			nsv								follow-up on -20	
VGP-09-41	213.3	65.0	over top of QFP							nsv								follow-up on -20
VGP-09-42	1246.7	380.0	984.0	994.8	299.9	303.2												
			1146.2	1227.4	349.4	374.1												
VGP-09-43	1108.9	338.0					276.6	277.7	1.1	1.15	1.26	907.4	911.0	3.6	0.03	0.12		
VGP-09-44	1148.3	350.0					284.3	286.1	1.7	1.99	3.46	932.9	938.6	5.7	0.06	0.33		
							295.0	296.1	2.3	3.95	9.04	967.8	971.6	7.5	0.12	0.86		
VGP-09-45	1453.4	443.0					397.8	435.1	37.3	2.29	85.53	1,305.0	1,427.5	122.5	0.07	8.18		
							includes		7.6	5.57	42.46	includes		25.0	0.16	4.06		
VGP-09-46	1108.9	338.0					nsv											
VGP-09-51	449.5	137.0	305.3	331.2	93.1	100.9	89.3	106.3	17.0	1.36	23.08	293.0	348.8	55.8	0.04	2.21	2 ugo	
			333.3	346.1	101.6	105.5												
VGP-09-52	139.1	42.4	broke into mine workings				hole ends in opening prior to zone										ends in ugo	
VGP-09-53	459.3	140.0																

