

HOLE-ID	FROM	TO	width (m)	Au g/t	ZONE	G x W	level	opt	feet
03-310	163	166.4	3.4	341.10	QVS,s,*VG*	1159.73	****	9.95	11.2
03-315	161.1	165.7	4.6	197.34	QVS,m,*VG*	907.77	****	5.76	15.1
GT87-R-230	0	15.5	15.5	56.31	QVS	872.80		1.64	50.9
04-325	195.5	218.5	23	20.10	QVS,m,FTZ	462.33	****600	0.59	75.5
03-315	207.4	210.8	3.4	121.15	QVS,m,*VG*	411.90	****	3.53	11.2
GT87-R-242	40	47.5	7.5	54.15	QVS	406.15		1.58	24.6
GT86-04-48	0	15.1	15.1	23.76	QVS,m	358.80	400	0.69	49.5
GT86-04-27	0	4.8	4.8	72.88	QVS,m	349.80	400	2.13	15.7
04-326	251.9	260.4	8.5	30.05	QVS,s,*VG*	255.42	****600	0.88	27.9
DT83-019	51.36	58.86	7.5	32.38	QVS	242.81		0.94	24.6
GT84-111	102.6	104.6	2	120.93	QVS	241.85	400	3.53	6.6
GT86-04-27	7.8	17.2	9.4	25.54	QVS,m	240.07	400	0.74	30.8
GT87-200-167	39	57	18	11.37	QVS	204.65		0.33	59.1
GT87-R-265	0	7.5	7.5	27.27	QVS	204.50		0.80	24.6
GT86-04-110	0	17	17	11.57	QVS	196.67	400	0.34	55.8
GT86-141	59.8	66.5	6.7	26.54	QVS	177.82		0.77	22.0
03-304	16.1	20.5	4.4	38.55	QVS,s,*VG*	169.64		1.12	14.4
GT86-04-120	3	20.42	17.42	9.59	QVS,m	167.14	400	0.28	57.2
GT87-R-245	7	21	14	11.18	QVS	156.55		0.33	45.9
GT86-04-35	0	8.23	8.23	18.73	QVS	154.11	400	0.55	27.0
GT86-140	46	56	10	15.41	QVS	154.11		0.45	32.8
GT87-R-266	4	12	8	17.70	QVS	141.60		0.52	26.2
GT87-R-224	27	44	17	7.82	QVS	132.90		0.23	55.8
GT87-R-281	9	12	3	41.95	QVS	125.85		1.22	9.8
GT86-03-16	4.75	9.25	4.5	27.29	QVS	122.79	300	0.80	14.8
GT87-R-220	50	64	14	8.67	QVS	121.37		0.25	45.9
GT87-R-288	22	28	6	20.02	QVS	120.10		0.58	19.7
GT87-R-279	22	36	14	8.51	QVS	119.14		0.25	45.9
GT84-050	154.46	158.36	3.9	30.11	QVS	117.42	s-zone	0.88	12.8
GT87-200-163	36	51	15	7.61	QVS	114.16	200	0.22	49.2
GT85-05-01	9	17.1	8.1	14.08	QVS	114.03	500	0.41	26.6
04-327	170.7	180.5	9.8	11.45	QVS,m,*VG**	112.25	****500	0.33	32.2
03-312	67.3	70.8	3.5	29.86	QVS,m,*VG*	104.52	****	0.87	11.5
GT85-132	115.88	124	8.12	12.78	QVS	103.80		0.37	26.6
GT87-R-244	0	7	7	14.77	QVS	103.37		0.43	23.0
GT86-03-15	31.5	44	12.5	8.26	QVS	103.28	300	0.24	41.0
GT87-200-176	26.5	38	11.5	8.59	QVS	98.75	200	0.25	37.7
GT87-R-278	10	25	15	6.37	QVS	95.50		0.19	49.2
GT87-R-292	8	21	13	7.20	QVS	93.60		0.21	42.7
GT87-200-187	32	57	25	3.63	QVS	90.86	200	0.11	82.0
GT86-05-69	0	3.8	3.8	23.65	QVS,s	89.86	500	0.69	12.5
GT87-02-131	7	12	5	17.69	QVS	88.44	200	0.52	16.4
GT87-R-260	4	11	7	12.52	QVS	87.65		0.37	23.0
DT83-034	60.96	65.5	4.54	19.30	QVS	87.64		0.56	14.9
GT87-R-212	37	46	9	9.00	QVS	81.00		0.26	29.5
GT87-R-209	41	47	6	13.31	QVS	79.85		0.39	19.7
GT87-02-96	38	43.5	5.5	14.39	QVS	79.15	200	0.42	18.0
GT86-04-31	0	14.4	14.4	5.31	QVS,s	76.53	400	0.16	47.2
GT87-R-264	0	9	9	8.50	QVS	76.50		0.25	29.5
GT86-04-49	0	1.5	1.5	47.92	QVS,s	71.88	400	1.40	4.9
GT87-200-188	29	39	10	7.05	QVS	70.50	200	0.21	32.8
GT85-05-03	0	10.6	10.6	6.62	QVS	70.22	500	0.19	34.8
GT87-400-194A	0	23	23	2.99	QVS	68.80	400	0.09	75.5
GT87-R-249	20	26	6	11.44	QVS	68.65		0.33	19.7
GT87-R-227	22	46	24	2.82	QVS	67.60		0.08	78.7
GT87-02-78	13.5	15.5	2	33.77	QVS	67.54	200	0.98	6.6
GT87-R-256	27	65.23	38.23	1.76	QVS	67.42		0.05	125.4
GT86-04-38	0	13	13	5.18	QVS	67.30	400	0.15	42.7
04-332	167.8	176.4	8.6	7.54	QVS,s,*VG**	64.88	****500	0.22	28.2
GT87-400-202	0	23	23	2.80	QVS	64.30	400	0.08	75.5
GT86-05-70	0	3.5	3.5	18.17	QVS,m	63.58	500	0.53	11.5
03-313	138.5	141.5	3	20.18	QVS,m	60.53	400	0.59	9.8
GT86-04-119	0	4	4	13.99	QVS,w	55.96	400	0.41	13.1
289	11.28	12.8	1.52	36.64	QVS	55.69	****surf	1.07	5.0
GT84-111	59.45	69.5	10.05	5.46	QVS	54.85		0.16	33.0
GT86-144	19	30.7	11.7	4.68	QVS	54.77		0.14	38.4
GT86-03-18	34.5	52.73	18.23	2.90	QVS	52.93	400	0.08	59.8
04-327	317.7	327	9.3	5.34	QVS,m''	49.62	****900	0.16	30.5
GT87-R-229	24	45	21	2.33	QVS	48.95		0.07	68.9
GT86-04-101	15.7	26.2	10.5	4.38	QVS,w	45.98	400	0.13	34.5
GT87-R-224	0	15	15	3.06	QVS	45.90		0.09	49.2
GT84-050	135.38	141.68	6.3	7.14	QVS	44.96	500	0.21	20.7